ELSEVIER

Journal of Materials Processing Technology 142 (2003) 787–788

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 142

Aguilar, M.T.P., 282, 362
Ahuett-Garza, H., 648
Aldas, K., 1
Alexandrov, I.V., 334
Alexandrova, N., 755
Alfozan, A., 619
Aljawi, A.A., 213
Alladi, K., 599
Allen Miller, R., 648
Alsamhan, A., 102
Al-Samhan, A., 587
Altan, T., 532
Alves, N.F., 374
Arslan, M.A., 773
Asnafi, N., 93
Atik, E., 762

Baker, T.N., 725
Balancin, O., 415
Balasubramanian, M., 275
Barata da Rocha, A., 714
Barber, G.C., 52
Barbulovic-Nad, L., 65
Barral, P., 383
Bermúdez, A., 383
Bezzazi, M., 634
Bhaduri, A.K., 20
Boccaccini, A.R., 471
Brabie, G., 224
Braham, C., 163
Butuc, M.C., 714

Celis, J.P., 738
Cesarano III, J., 318
Cetlin, P.R., 282, 362
Chang, C.-S., 112
Chang, S.-L., 569
Chen, D., 197
Chen, F.-K., 643
Chen, K., 190
Chen, Q.-A., 52
Cherouat, A., 307
Cho, K., 326
Choi, B., 326
Choi, H., 326
Chou, C.P., 139
Chung, S., 326
Corrêa, E.C.S., 282, 362

da Silva, C.R.M., 697
Danckert, J., 544
Darwish, S.M.H., 587
Das, S., 434
Davami, P., 493
Desbois, V., 471
Dixit, P.M., 256
Dixit, U.S., 289
Dubravina, A.A., 334

El-Azab, A., 744
Erol Akata, H., 239
Esmaeileian, H., 493

Fan, T., 556
Ferreira, J.C., 374
Ferreira, J.C., 508
Ferreira, J.M.F., 427
Forouzan, M.R., 213
Francillette, H., 43
Froyen, L., 738
Fuhua, Z., 551
Fujii, H., 692

Gadala, M.S., 213
Ganeshmurthy, S., 599
Gao, H., 52
Gao, S., 582
Garnich, M., 744
Gavrus, A., 43
Ghanem, F., 163
Gnanam, F.D., 275
Gögebakan, M., 87
Gracio, J.J., 714
Graham, I.D., 152
Gronostajski, Z., 684
Gülsöz, A., 82
Gunasekera, J.S., 619
Guo, Y.B., 72
Guo, Z.N., 576
Guoan, H., 659
Guoqun, Z., 400

Hammi, Y., 307
Han, H.N., 231
Hao, H., 526
Harte, A.M., 58
Hartely, P., 102
Haseeb, A.S.M.A., 738
Hashmi, K., 152
Hashmi, M.S.J., 152
Hirschfeld, D.A., 318
Ho, M.-C., 452
Hocheng, H., 203
Hong, S.I., 334
Hongjun, L., 710
Hsu, Q.-C., 367
Huang, C.Z., 338
Huang, T.-B., 643
Hung, C., 702
Hwang, Y.-R., 452

Iankov, R., 355
Ichio, S., 131
Im, Y., 326
Irfan-ul-Haq, M., 247
Iwasaki, T., 131

Jackson, M.J., 517
Janaki Ram, G.D., 174
Jensen, M.R., 544
Jeong, D., 326
Jeong, H., 326, 614
Jin, J.Z., 526
Jorge Lino, F., 628
Jorge Jr., A.M., 415
Juchen, X., 659

Kaçar, H., 762
Kang, B., 479
Kang, D.C., 544
Kapoor, A., 744
Karaaslan, T., 87
Kathuria, Y.P., 466
Kemal Apalak, M., 1
Keskin, M., 87
Khamlichi, A., 634
Khan, Z., 247
Kikkinides, E.S., 267
Kim, H., 614
Kim, H.S., 334
Kim, H.Y., 526
Kim, K.-H., 231
Kim, N., 479
Kinzel, G.L., 532
Klocke, F., 434
Klotz, M., 434
Koç, M., 773
Kolenbrander, M., 267
Krishna kumar, R., 29
Kuriakose, S., 182

Labrincha, J.A., 427
Lang, L.H., 544
Laoui, T., 738
Lassl, G., 93
Lau, W.S., 576
Lawrence, J., 461
Lebensohn, R.A., 43
Lee, H.T., 676
Lee, S., 326, 479, 614
Lee, T.C., 576
Lee, Y.S., 334

Elsevier B.V.
doi:10.1016/S0924-0136(03)00959-2

Lenard, J.G., 65
Li, L., 461
Li, M., 197
Li, S., 190
Li, S.-Y., 408
Lin, Z., 659
Liu, H., 190
Liu, H.J., 692
Liu, W., 562
Livatyali, H., 532
Lo, S.-P., 665
Lu, Y., 52

Maeda, M., 692
Manabe, K.-i., 609
Manukyan, N.V., 145
Martirosyan, V.H., 145
Mateus, A., 508
Mauczok, R., 267
McNamara, J.F., 58
Merah, N., 247
Meran, C., 82
Meriç, C., 762
Mills, B., 152
Minay, E.J., 471
Ming, D., 562
Mirbagheri, S.M.H., 493
Mirhosseini, S.H., 422
Mitra, T.K., 174
Mohan, K., 182
Monteiro, W.A., 362
Mungi, M.P., 256
Muñiz, M.C., 383

Naiyu, H., 710
Naka, M., 556
Narayanasamy, R., 347
Nielsen, K.B., 544
Nilsson, T., 93
Nishimura, H., 609
Nogi, K., 692

O'Neill, W., 517
Otero, M.V., 383

Pa, P.S., 203
Park, J.P., 526
Parrón Vera, M.A., 634
Pereira Duarte, T., 628
Pillinger, I., 102
Ping, X., 551
Prasad Rao, K., 20

Qu, X., 487
Quintela, P., 383

Raghukandan, K., 767
Raj, B., 20
Ramakrishnan, N., 29
Rasane, S.D., 256
Regone, W., 415
Rende, H., 82
Ribeiro, S., 697
Robi, P.S., 289
Roddy, I.D., 58

Saanouni, K., 307
Şahin, M., 239
Salgado, P., 383
Salimi, M., 213
Samagaio, A.J.B., 427
Samuel, M., 295
Santos, C., 697
Satoh, M., 131
Şekercíoğlu, T., 82
Selamat, M.S., 725
Selvakumar, N., 347
Sen, F., 1
Senthilvelan, T., 767
Seo, H., 614
Serajzadeh, S., 493
Shankar, V., 174
Sheng, S., 400
Shi, L., 582
Shibayanagi, T., 556
Shih, C.-K., 702
Shorowordi, K.M., 738
Shunmugam, M.S., 182
Sidhom, H., 163
Silva, E.M.P., 282
Smith, L.M., 599
Sobral, M., 427
Song, W.G., 338
Strecker, K., 697
Stuecker, J.N., 318
Sundaresan, S., 174

Taheri-Nassaj, E., 422
Tai, T.Y., 676
Tao, Y., 487
Todd, R.I., 190
Tsai, G.-C., 112
Tseng, K.H., 139
Tseng, W.J., 408

Uzun, O., 87

Varahram, N., 493
Vasudevan, M., 20
Venkatraman, A., 767
Venugopal Rao, A., 29
Viswabaskaran, V., 275

Wang, J., 338
Watson, L.M., 725
Wenzhong, T., 551
Wu, S., 197

Xi, M., 582
Xinyun, W., 659
Xuanpu, D., 710

Yadong, H., 551
Yamamoto, H., 609
Yang, G., 556
Yanjin, G., 400
Yiguo, L., 400
Yoshihara, S., 609
Yue, T.M., 576

Zaspalis, V.T., 267
Zeng, Z., 562
Zhang, D., 556
Zhang, S.H., 544
Zhang, X.G., 526
Zhang, Y., 582
Zhang, Z., 190
Zhu, B., 487
Zitian, F., 710

ELSEVIER

Journal of Materials Processing Technology 142 (2003) 789–797

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 142

Abrasive wear
The effect of precipitation-hardening conditions on wear behaviours at 2024 aluminium wrought alloy, 762
Activation energy
High temperature deformation of a Fe-based low nickel alloy, 52
Adaptive-network based fuzzy inference system
An adaptive-network based fuzzy inference system for prediction of workpiece surface roughness in end milling, 665
Additive system
Substitution of pure Y_2O_3 by a mixed concentrate of rare earth oxides (CRE_2O_3) as sintering additive of Si_3N_4: a comparative study of the mechanical properties, 697
Adhesive
Finite element modeling of weld-bonded joints, 587
Adhesive joint
Thermal non-linear stresses in an adhesively bonded and laser-spot welded single-lap joint during laser–metal interaction, 1
Aggregation
Effect of polysaccharide polymer on sedimentation and rheological behavior of aqueous $BaTiO_3$ suspensions, 408
Al-2014 scrap alloy
Reinforcement of recycled aluminum-alloy scrap with Saffil ceramic fibers, 295
Al–Ni alloy
Rapidly solidified Al–6.5 wt.% Ni alloy, 87
Aluminium
Tubular hydroforming of automotive side members with extruded aluminium profiles, 93
Nd-YAG laser assisted aluminum foaming, 466
Aluminium alloy
Microstructural refinement through inoculation of type 7020 Al–Zn–Mg alloy welds and its effect on hot cracking and tensile properties, 174
Aluminium casting
Numerical simulation of some problems related to aluminium casting, 383
Aluminium preforms
Phenomenon of strain hardening behaviour of sintered aluminium preforms during cold axial forming, 347
2024 Aluminium wrought alloy
The effect of precipitation-hardening conditions on wear behaviours at 2024 aluminium wrought alloy, 762
7055 aluminum alloy
The improvement of constituent dissolution and mechanical properties of 7055 aluminum alloy by stepped heat treatments, 190
Aluminum alloy
Twin-strand technology and microstructure analysis for the electromagnetic near net-shape casting of aluminum alloy, 526
Tensile properties and fracture locations of friction-stir-welded joints of 2017-T351 aluminum alloy, 692
Aluminum shoe mold
Rapid fabrication of aluminum shoe mold using vacuum sealed casting process, 326
Angular distortion
The study of nitrogen in argon gas on the angular distortion of austenitic stainless steel weldments, 139
Annealing
High temperature deformation of a Fe-based low nickel alloy, 52
ANOVA
Modelling of process parameters on the working of P/M copper preforms, 767
Aqueous suspension
Control of the viscous behavior of highly concentrated mullite suspensions for robocasting, 318
ASOLA-VOF technique
Simulation of melt flow in coated mould cavity in the casting process, 493
Austenitic stainless steel
Delta ferrite prediction in stainless steel welds using neural network analysis and comparison with other prediction methods, 20
Automotive
Tubular hydroforming of automotive side members with extruded aluminium profiles, 93
Axial forming
Phenomenon of strain hardening behaviour of sintered aluminium preforms during cold axial forming, 347
Axisymmetric forging
Residual stresses in cold axisymmetric forging, 256

Barium titanate ($BaTiO_3$)
Effect of polysaccharide polymer on sedimentation and rheological behavior of aqueous $BaTiO_3$ suspensions, 408
Bending
Tubular hydroforming of automotive side members with extruded aluminium profiles, 93
Boehmite
Effect of MgO, Y_2O_3 and boehmite additives on the sintering behaviour of mullite formed from kaolinite-reactive alumina, 275
Bonding strength
The effects of surface roughness on the strength of adhesively bonded cylindrical components, 82
Build-up edge
A force model of turning stainless steel with worn tools having nose radius, 112
Bulge forming
Experimental investigation of bulge forming of plastic branch pipe, 551

Carbon diffusion
Influence of steel type on electrical discharge machined surface integrity, 163
Carbon steel
The effect of tallow concentration on the cold rolling of steel strips, 65
Carbon-thermal and gaseous media
Investigation of the chlorination mechanism of metal oxides by chlorine, 145

Elsevier B.V.
doi:10.1016/S0924-0136(03)00960-9

CCD camera
Theoretical and experimental study on the hydroforming of bifurcation tube, 367
Cemented carbide
An in situ WC–Ni composite fabricated by the SHS method, 422
Ceramic
Method for the morphological characterization of powder raw materials for the manufacturing of ceramics, 267
Control of the viscous behavior of highly concentrated mullite suspensions for robocasting, 318
Ceramic components for foundry industry, 628
Cermet
An in situ WC–Ni composite fabricated by the SHS method, 422
Chamber pressure
Effect of anisotropy and prebulging on hydromechanical deep drawing of mild steel cups, 544
Chamfered main cutting edge
A force model of turning stainless steel with worn tools having nose radius, 112
Chemical evolution
Fabrication of in situ Al_2O_3/Al composite via remelting, 556
Chemical mechanical polishing
Self-conditioning of encapsulated abrasive pad in chemical mechanical polishing, 614
Clay
Effect of MgO, Y_2O_3 and boehmite additives on the sintering behaviour of mullite formed from kaolinite-reactive alumina, 275
Clutch facings
Optimizing the thermal properties of clutch facings, 634
Coating permeability
Simulation of melt flow in coated mould cavity in the casting process, 493
Cold rolling
The effect of tallow concentration on the cold rolling of steel strips, 65
Cold-roll-forming
The computer simulation of cold-roll-forming using FE methods and applied real time re-meshing techniques, 102
Composite
Application of optimisation methods to the design of high performance composite pipelines, 58
Reinforcement of recycled aluminum-alloy scrap with Saffil ceramic fibers, 295
XRD and XPS studies on surface MMC layer of SiC reinforced Ti–6Al–4V alloy, 725
Computer simulation
The computer simulation of cold-roll-forming using FE methods and applied real time re-meshing techniques, 102
Computer simulation and characteristic analysis of electrode fluctuation in wire electric discharge machining, 576
Condensed-solvent debinding
Mathematical model for condensed-solvent debinding process of PIM, 487
Conductive heat-transfer
Thermal non-linear stresses in an adhesively bonded and laser-spot welded single-lap joint during laser–metal interaction, 1
Constituents
The improvement of constituent dissolution and mechanical properties of 7055 aluminum alloy by stepped heat treatments, 190
Constitutive law
A constitutive law for the mechanical behavior of Zr 702α, 43
Constitutive relation
Modeling of microstructure and constitutive relation during superplastic deformation by fuzzy-neural network, 197
Copper
Deformation behavior of copper during a high pressure torsion process, 334
Modelling of process parameters on the working of P/M copper preforms, 767
663 Copper alloy
Characterization of laser direct deposited metallic parts, 582
Copper alloys
A general model describing flow stress of copper alloys in different deformation conditions, 684
Corrosion
Augmentation of the mechanical and chemical resistance characteristics of an Al_2O_3-based refractory by means of high power diode laser surface treatment, 461
CPVC
Temperature and weld-line effects on mechanical properties of CPVC, 247
Crack formation
Relationship between EDM parameters and surface crack formation, 676
Crumb rubber
Mechanical and acoustical characteristics of bound rubber granulate, 427
Cutting error estimation
Machine codes modification algorithm for five-axis machining, 452
Cutting forces
The effect of tool flank wear on the orthogonal cutting process and its practical implications, 338
Cyclic straining
The effect of sequential tensile and cyclic torsion straining on work hardening of steel and brass, 282
Superficial and structural aspects of the cyclic strain softening in 6063 aluminum alloy bars, 362

Data
Adjustment approach for fuzzy logic model based selection of non-overlapping machining data in the turning operation, 152
Data mining
Data mining applied to wire-EDM process, 182
Deep drawing
Formability enhancement in magnesium alloy stamping using a local heating and cooling technique: circular cup deep drawing process, 609
Delta ferrite content
Delta ferrite prediction in stainless steel welds using neural network analysis and comparison with other prediction methods, 20
Die casting
The effects of heat released during fill on the deflections of die casting dies, 648
Die deflections
The effects of heat released during fill on the deflections of die casting dies, 648
Die profile
Optimization of die profile for improving die life in the hot extrusion process, 659
Dimensional tolerance
Design and finite element analysis of innovative tooling elements (stress pins) to prolong die life and improve dimensional tolerances in precision forming processes, 773
Disc-form electrodes
Electropolishing of cylindrical workpiece of tool materials using disc-form electrodes, 203
Donor–acceptor cells
Simulation of melt flow in coated mould cavity in the casting process, 493
Double-sided high-pressure
Double-sided high-pressure tubular hydroforming, 599

Drawability
Formability enhancement in magnesium alloy stamping using a local heating and cooling technique: circular cup deep drawing process, 609
Drawing
Fracture analysis of tube drawing with a mandrel, 755
3D-scanning
Integration of reverse engineering and rapid tooling in foundry technology, 374
Ductile damage
Improvement of forging process of a 3D complex part with respect to damage occurrence, 307
Ductile fracture
A comparative evaluation of the theoretical failure criteria for workability in cold forging, 29
A ductile fracture criterion in sheet metal forming process, 231
Duplex stainless steel
Delta ferrite prediction in stainless steel welds using neural network analysis and comparison with other prediction methods, 20
Dynamic materials model
Application of neural networks in generating processing map for hot working, 289

Edge shape
Prediction and design of edge shape of initial strip for thick tube roll forming using finite element method, 479
EDM
Influence of steel type on electrical discharge machined surface integrity, 163
Relationship between EDM parameters and surface crack formation, 676
Electric discharge machining
EDM simulation: finite element-based calculation of deformation, microstructure and residual stresses, 434
Electric resistance welding
Prediction and design of edge shape of initial strip for thick tube roll forming using finite element method, 479
Electrode design
Electropolishing of cylindrical workpiece of tool materials using disc-form electrodes, 203
Electromagnetic casting
Twin-strand technology and microstructure analysis for the electromagnetic near net-shape casting of aluminum alloy, 526
Electromagnetic forming
Modeling of the electromagnetic forming of sheet metals: state-of-the-art and future needs, 744
Electro-magneto-plasticity
Modeling of the electromagnetic forming of sheet metals: state-of-the-art and future needs, 744
Electropolishing
Electropolishing of cylindrical workpiece of tool materials using disc-form electrodes, 203
Encapsulated abrasive pad
Self-conditioning of encapsulated abrasive pad in chemical mechanical polishing, 614
End milling
An adaptive-network based fuzzy inference system for prediction of workpiece surface roughness in end milling, 665
Environmentally benign process
Self-conditioning of encapsulated abrasive pad in chemical mechanical polishing, 614
Erosion
Augmentation of the mechanical and chemical resistance characteristics of an Al_2O_3-based refractory by means of high power diode laser surface treatment, 461

Explicit finite element
Effect of anisotropy and prebulging on hydromechanical deep drawing of mild steel cups, 544
Extrusion
Tubular hydroforming of automotive side members with extruded aluminium profiles, 93
Innovative manufacturing technique for glass matrix composites: extrusion of recycled TV set screen glass reinforced with Al_2O_3 platelets, 471

Factorial design
Modelling of process parameters on the working of P/M copper preforms, 767
Fatigue
The effects of surface roughness on the strength of adhesively bonded cylindrical components, 82
FE models
The computer simulation of cold-roll-forming using FE methods and applied real time re-meshing techniques, 102
FE simulation
A comparative evaluation of the theoretical failure criteria for workability in cold forging, 29
FEA
Design and finite element analysis of innovative tooling elements (stress pins) to prolong die life and improve dimensional tolerances in precision forming processes, 773
Fe-based low nickel alloy
High temperature deformation of a Fe-based low nickel alloy, 52
FEM
Finite element simulation of profile rolling of wire, 355
FEM simulation
Finite element modeling of laser bending of pre-loaded sheet metals, 400
Fe_2O_3
Method for the morphological characterization of powder raw materials for the manufacturing of ceramics, 267
Finite elastoplastic strain
Improvement of forging process of a 3D complex part with respect to damage occurrence, 307
Finite element
Guide roll simulation in FE analysis of ring rolling, 213
Numerical simulation of some problems related to aluminium casting, 383
Finite element analysis
Residual stresses in cold axisymmetric forging, 256
Deformation behavior of copper during a high pressure torsion process, 334
Theoretical and experimental study on the hydroforming of bifurcation tube, 367
Finite element method
Improvement of forging process of a 3D complex part with respect to damage occurrence, 307
EDM simulation: finite element-based calculation of deformation, microstructure and residual stresses, 434
An upper bound elemental technique approach to the process design of axisymmetric forging by forward and backward simulation, 619
Finite element modeling
Finite element modeling of weld-bonded joints, 587
Five-axis
Machine codes modification algorithm for five-axis machining, 452
Flanging
Computer aided die design of straight flanging using approximate numerical analysis, 532
Flank wear
The effect of tool flank wear on the orthogonal cutting process and its practical implications, 338

Flow rule
A theoretical study on forming limit diagrams prediction, 714
Flow stress
A general model describing flow stress of copper alloys in different deformation conditions, 684
Modelling of process parameters on the working of P/M copper preforms, 767
Flow stress curves
Effect of competing hardening and softening mechanisms on the flow stress curve modeling of ultra-low carbon steel at high temperatures, 415
Foam
Nd-YAG laser assisted aluminum foaming, 466
Forging
A comparative evaluation of the theoretical failure criteria for workability in cold forging, 29
An upper bound elemental technique approach to the process design of axisymmetric forging by forward and backward simulation, 619
Formability
Formability of stamping magnesium-alloy AZ31 sheets, 643
Forming limit diagram
A theoretical study on forming limit diagrams prediction, 714
Forward and backward simulation
An upper bound elemental technique approach to the process design of axisymmetric forging by forward and backward simulation, 619
Foundry
Ceramic components for foundry industry, 628
Foundry technology
Integration of reverse engineering and rapid tooling in foundry technology, 374
Fractography
Fabrication of in situ Al_2O_3/Al composite via remelting, 556
Fracture
Fracture analysis of tube drawing with a mandrel, 755
Fracture criterion
A ductile fracture criterion in sheet metal forming process, 231
Fracture location
Tensile properties and fracture locations of friction-stir-welded joints of 2017-T351 aluminum alloy, 692
Free surface simulation
Simulation of melt flow in coated mould cavity in the casting process, 493
Freeform fabrication
Control of the viscous behavior of highly concentrated mullite suspensions for robocasting, 318
Friction
Joining with friction welding of plastically deformed steel, 239
Friction stir welding
Tensile properties and fracture locations of friction-stir-welded joints of 2017-T351 aluminum alloy, 692
Fuzzy logic model
Adjustment approach for fuzzy logic model based selection of non-overlapping machining data in the turning operation, 152
Fuzzy-neural network
Modeling of microstructure and constitutive relation during superplastic deformation by fuzzy-neural network, 197

Glass matrix composite
Innovative manufacturing technique for glass matrix composites: extrusion of recycled TV set screen glass reinforced with Al_2O_3 platelets, 471
Grain refinement
Microstructural refinement through inoculation of type 7020 Al–Zn–Mg alloy welds and its effect on hot cracking and tensile properties, 174
Guide roll
Guide roll simulation in FE analysis of ring rolling, 213

Hardening
Influence of steel type on electrical discharge machined surface integrity, 163
Hardening law
A theoretical study on forming limit diagrams prediction, 714
Hardness
Rapidly solidified Al–6.5 wt.% Ni alloy, 87
Joining with friction welding of plastically deformed steel, 239
Innovative manufacturing technique for glass matrix composites: extrusion of recycled TV set screen glass reinforced with Al_2O_3 platelets, 471
Heat transfer
Optimizing the thermal properties of clutch facings, 634
Helix gash
Helix gash of hob cutter manufactured by milling, 569
High power diode laser
Augmentation of the mechanical and chemical resistance characteristics of an Al_2O_3-based refractory by means of high power diode laser surface treatment, 461
High pressure torsion process
Deformation behavior of copper during a high pressure torsion process, 334
High temperature properties
Formability of stamping magnesium-alloy AZ31 sheets, 643
Hob cutter
Helix gash of hob cutter manufactured by milling, 569
Homogenization
Optimizing the thermal properties of clutch facings, 634
Hot deformation
High temperature deformation of a Fe-based low nickel alloy, 52
Hot extrusion
Reinforcement of recycled aluminum-alloy scrap with Saffil ceramic fibers, 295
Optimization of die profile for improving die life in the hot extrusion process, 659
Hot workability
Application of neural networks in generating processing map for hot working, 289
Hydraulic pressure
Double-sided high-pressure tubular hydroforming, 599
Hydroforming
Tubular hydroforming of automotive side members with extruded aluminium profiles, 93
Double-sided high-pressure tubular hydroforming, 599
Hydromechanical deep drawing
Effect of anisotropy and prebulging on hydromechanical deep drawing of mild steel cups, 544
Hydrophilic polymer
Self-conditioning of encapsulated abrasive pad in chemical mechanical polishing, 614

In situ Al_2O_3/Al composite
Fabrication of in situ Al_2O_3/Al composite via remelting, 556
In situ composite
An in situ WC–Ni composite fabricated by the SHS method, 422
Inclination angle
Production of long metal fibers using a combined method of microsaw turning and pulling, 562
Injection molding
Temperature and weld-line effects on mechanical properties of CPVC, 247
Injection moulding
Studies of rapid soft tooling with conformal cooling channels for plastic injection moulding, 508

Interface
Microstructure and interface characteristics of B_4C, SiC and Al_2O_3 reinforced Al matrix composites: a comparative study, 738
Ironing
Fracture analysis of tube drawing with a mandrel, 755

Joint
Application of optimisation methods to the design of high performance composite pipelines, 58

Laser
Nd-YAG laser assisted aluminum foaming, 466
Laser micro-drilling of tool steel using Nd:YAG lasers, 517
Laser bending
Finite element modeling of laser bending of pre-loaded sheet metals, 400
Laser direct deposition process
Characterization of laser direct deposited metallic parts, 582
Laser surface melting
XRD and XPS studies on surface MMC layer of SiC reinforced Ti–6Al–4V alloy, 725
Laser-spot welding
Thermal non-linear stresses in an adhesively bonded and laser-spot welded single-lap joint during laser–metal interaction, 1
Life characteristics
Augmentation of the mechanical and chemical resistance characteristics of an Al_2O_3-based refractory by means of high power diode laser surface treatment, 461
Local heating and cooling technique
Formability enhancement in magnesium alloy stamping using a local heating and cooling technique: circular cup deep drawing process, 609
Long metal fibers
Production of long metal fibers using a combined method of microsaw turning and pulling, 562
LP sintering
An in situ WC–Ni composite fabricated by the SHS method, 422

Machine learning
Data mining applied to wire-EDM process, 182
Machining
The effect of tool flank wear on the orthogonal cutting process and its practical implications, 338
Magnesium alloy sheet
Formability enhancement in magnesium alloy stamping using a local heating and cooling technique: circular cup deep drawing process, 609
Magnesium-alloy AZ31 sheet
Formability of stamping magnesium-alloy AZ31 sheets, 643
Manufacturing methods
Innovative manufacturing technique for glass matrix composites: extrusion of recycled TV set screen glass reinforced with Al_2O_3 platelets, 471
Material form of Maxwell's equations
Modeling of the electromagnetic forming of sheet metals: state-of-the-art and future needs, 744
Material properties
An integral method to determine the mechanical behavior of materials in metal cutting, 72
Materials tests
An integral method to determine the mechanical behavior of materials in metal cutting, 72
Mathematical model
Mathematical model for condensed-solvent debinding process of PIM, 487
Mean stress
Fracture analysis of tube drawing with a mandrel, 755
Mechanical properties
The improvement of constituent dissolution and mechanical properties of 7055 aluminum alloy by stepped heat treatments, 190
Substitution of pure Y_2O_3 by a mixed concentrate of rare earth oxides (CRE_2O_3) as sintering additive of Si_3N_4: a comparative study of the mechanical properties, 697
Mechanics of cutting
The effect of tool flank wear on the orthogonal cutting process and its practical implications, 338
Mechanochemical reaction
Preparation of a UV-attenuating agent using a mechanochemical reaction, 131
Melting reaction
The improvement of constituent dissolution and mechanical properties of 7055 aluminum alloy by stepped heat treatments, 190
Melt-spinning
Rapidly solidified Al–6.5 wt.% Ni alloy, 87
Meta-kaolinite
Effect of MgO, Y_2O_3 and boehmite additives on the sintering behaviour of mullite formed from kaolinite-reactive alumina, 275
Metal cutting
An integral method to determine the mechanical behavior of materials in metal cutting, 72
Metal forming
Residual stresses in cold axisymmetric forging, 256
Finite element simulation of profile rolling of wire, 355
Metal matrix composites
Microstructure and interface characteristics of B_4C, SiC and Al_2O_3 reinforced Al matrix composites: a comparative study, 738
Micro-drilling
Laser micro-drilling of tool steel using Nd:YAG lasers, 517
Micro-machining
Laser micro-drilling of tool steel using Nd:YAG lasers, 517
Microsaw and pulling
Production of long metal fibers using a combined method of microsaw turning and pulling, 562
Microstructure
The improvement of constituent dissolution and mechanical properties of 7055 aluminum alloy by stepped heat treatments, 190
Twin-strand technology and microstructure analysis for the electromagnetic near net-shape casting of aluminum alloy, 526
Characterization of laser direct deposited metallic parts, 582
Substitution of pure Y_2O_3 by a mixed concentrate of rare earth oxides (CRE_2O_3) as sintering additive of Si_3N_4: a comparative study of the mechanical properties, 697
Microstructure evolution
Modeling of microstructure and constitutive relation during superplastic deformation by fuzzy-neural network, 197
Milling cutter
Helix gash of hob cutter manufactured by milling, 569
MnZn-ferrites
Method for the morphological characterization of powder raw materials for the manufacturing of ceramics, 267
Modeling
Data mining applied to wire-EDM process, 182
Modeling of hot deformation
Effect of competing hardening and softening mechanisms on the flow stress curve modeling of ultra-low carbon steel at high temperatures, 415
Mullite
Effect of MgO, Y_2O_3 and boehmite additives on the sintering behaviour of mullite formed from kaolinite-reactive alumina, 275

Neural network
Application of neural networks in generating processing map for hot working, 289

Neural network analysis
Delta ferrite prediction in stainless steel welds using neural network analysis and comparison with other prediction methods, 20
Nitrogen content
The study of nitrogen in argon gas on the angular distortion of austenitic stainless steel weldments, 139
Noise absorption
Mechanical and acoustical characteristics of bound rubber granulate, 427
Non-linear thermal stresses
Thermal non-linear stresses in an adhesively bonded and laser-spot welded single-lap joint during laser–metal interaction, 1
Numerical simulation
Numerical simulation of some problems related to aluminium casting, 383
A theoretical study on forming limit diagrams prediction, 714

Oblique cutting
Production of long metal fibers using a combined method of microsaw turning and pulling, 562
Oil-in-water emulsion
The effect of tallow concentration on the cold rolling of steel strips, 65
Optimization
Application of optimisation methods to the design of high performance composite pipelines, 58
Optimizing the thermal properties of clutch facings, 634
Optimum design
Optimization of die profile for improving die life in the hot extrusion process, 659
Orthogonal cutting
The effect of tool flank wear on the orthogonal cutting process and its practical implications, 338
Oxides and chlorides
Investigation of the chlorination mechanism of metal oxides by chlorine, 145

Particle coating
Preparation of a UV-attenuating agent using a mechanochemical reaction, 131
Particulate composite
Preparation of a UV-attenuating agent using a mechanochemical reaction, 131
Perspective transformation
Theoretical and experimental study on the hydroforming of bifurcation tube, 367
Photography technique
Simulation of melt flow in coated mould cavity in the casting process, 493
Pipeline
Application of optimisation methods to the design of high performance composite pipelines, 58
Planetary three-roll
Experimental and numerical analyses on three-roll planetary rolling process, 702
Plastic
Experimental investigation of bulge forming of plastic branch pipe, 551
Plastic deformation
Deformation behavior of copper during a high pressure torsion process, 334
Plasticine workpiece
Experimental and numerical analyses on three-roll planetary rolling process, 702
Platelet reinforcement
Innovative manufacturing technique for glass matrix composites: extrusion of recycled TV set screen glass reinforced with Al_2O_3 platelets, 471
Polymer bonding agent
Mechanical and acoustical characteristics of bound rubber granulate, 427
Polymers
Temperature and weld-line effects on mechanical properties of CPVC, 247
Porous ceramic mold
Rapid fabrication of aluminum shoe mold using vacuum sealed casting process, 326
Post processing
Machine codes modification algorithm for five-axis machining, 452
Powder injection molding
Mathematical model for condensed-solvent debinding process of PIM, 487
Powder metallurgy
Modelling of process parameters on the working of P/M copper preforms, 767
Powder metallurgy and microstructure
Nd-YAG laser assisted aluminum foaming, 466
Powder processing
Preparation of a UV-attenuating agent using a mechanochemical reaction, 131
Powders
Method for the morphological characterization of powder raw materials for the manufacturing of ceramics, 267
Prebulging
Effect of anisotropy and prebulging on hydromechanical deep drawing of mild steel cups, 544
Precipitation hardening
The effect of precipitation-hardening conditions on wear behaviours at 2024 aluminium wrought alloy, 762
Precise casting
A note on rapid manufacturing process of metallic parts based on SLS plastic prototype, 710
Pre-stress
Finite element modeling of laser bending of pre-loaded sheet metals, 400
Process modeling
The effects of heat released during fill on the deflections of die casting dies, 648
Processing maps
Application of neural networks in generating processing map for hot working, 289
Profile
Tubular hydroforming of automotive side members with extruded aluminium profiles, 93
Profile rolling of wire
Finite element simulation of profile rolling of wire, 355
Properties
Characterization of laser direct deposited metallic parts, 582
PSW
Experimental and numerical analyses on three-roll planetary rolling process, 702

Rapid prototyping
Control of the viscous behavior of highly concentrated mullite suspensions for robocasting, 318
Integration of reverse engineering and rapid tooling in foundry technology, 374
Studies of rapid soft tooling with conformal cooling channels for plastic injection moulding, 508
Ceramic components for foundry industry, 628
A note on rapid manufacturing process of metallic parts based on SLS plastic prototype, 710
Rapid solidification
Rapidly solidified Al–6.5 wt.% Ni alloy, 87

Rapid tooling
Integration of reverse engineering and rapid tooling in foundry technology, 374
Studies of rapid soft tooling with conformal cooling channels for plastic injection moulding, 508
Rare earth oxides
Substitution of pure Y_2O_3 by a mixed concentrate of rare earth oxides (CRE_2O_3) as sintering additive of Si_3N_4: a comparative study of the mechanical properties, 697
Raw materials
Method for the morphological characterization of powder raw materials for the manufacturing of ceramics, 267
Reaction mechanism
Investigation of the chlorination mechanism of metal oxides by chlorine, 145
Reactive alumina
Effect of MgO, Y_2O_3 and boehmite additives on the sintering behaviour of mullite formed from kaolinite-reactive alumina, 275
Recovery
High temperature deformation of a Fe-based low nickel alloy, 52
Recrystallization
High temperature deformation of a Fe-based low nickel alloy, 52
Reduction and chlorination processes
Investigation of the chlorination mechanism of metal oxides by chlorine, 145
Refractory
Augmentation of the mechanical and chemical resistance characteristics of an Al_2O_3-based refractory by means of high power diode laser surface treatment, 461
Residual stress
Influence of steel type on electrical discharge machined surface integrity, 163
Residual stresses in cold axisymmetric forging, 256
Relationship between EDM parameters and surface crack formation, 676
Retained ferrite
The study of nitrogen in argon gas on the angular distortion of austenitic stainless steel weldments, 139
Reverse engineering
Integration of reverse engineering and rapid tooling in foundry technology, 374
Rheology
Control of the viscous behavior of highly concentrated mullite suspensions for robocasting, 318
Effect of polysaccharide polymer on sedimentation and rheological behavior of aqueous $BaTiO_3$ suspensions, 408
Rigid–plastic finite element method
Prediction and design of edge shape of initial strip for thick tube roll forming using finite element method, 479
Rigid–viscoplastic FEM
Optimization of die profile for improving die life in the hot extrusion process, 659
Ring rolling
Guide roll simulation in FE analysis of ring rolling, 213
Robocasting
Control of the viscous behavior of highly concentrated mullite suspensions for robocasting, 318
Roll forming
Prediction and design of edge shape of initial strip for thick tube roll forming using finite element method, 479
Rolling
Finite element simulation of profile rolling of wire, 355
Roughness
An adaptive-network based fuzzy inference system for prediction of workpiece surface roughness in end milling, 665
Round bars
An analysis of the shearing stresses distribution on the cross-section of the twisted round bars, 224

Saffil ceramic fibers
Reinforcement of recycled aluminum-alloy scrap with Saffil ceramic fibers, 295
Scanning electron microscopy
Rapidly solidified Al–6.5 wt.% Ni alloy, 87
Secondary phase
Microstructure and interface characteristics of B_4C, SiC and Al_2O_3 reinforced Al matrix composites: a comparative study, 738
Second-degree polynomial regression method
Prediction and design of edge shape of initial strip for thick tube roll forming using finite element method, 479
Sedimentation
Effect of polysaccharide polymer on sedimentation and rheological behavior of aqueous $BaTiO_3$ suspensions, 408
Selective laser sintering (SLS)
A note on rapid manufacturing process of metallic parts based on SLS plastic prototype, 710
Self-conditioning
Self-conditioning of encapsulated abrasive pad in chemical mechanical polishing, 614
Sheet forming
Formability enhancement in magnesium alloy stamping using a local heating and cooling technique: circular cup deep drawing process, 609
Sheet metal
Finite element modeling of laser bending of pre-loaded sheet metals, 400
Sheet metal bending
Computer aided die design of straight flanging using approximate numerical analysis, 532
Sheet metal forming
A ductile fracture criterion in sheet metal forming process, 231
Modeling of the electromagnetic forming of sheet metals: state-of-the-art and future needs, 744
SHS
An in situ WC–Ni composite fabricated by the SHS method, 422
Side member
Tubular hydroforming of automotive side members with extruded aluminium profiles, 93
Simulation
Influence of steel type on electrical discharge machined surface integrity, 163
Si_3N_4
Substitution of pure Y_2O_3 by a mixed concentrate of rare earth oxides (CRE_2O_3) as sintering additive of Si_3N_4: a comparative study of the mechanical properties, 697
Sintered powder
Phenomenon of strain hardening behaviour of sintered aluminium preforms during cold axial forming, 347
Sliding temperature
Optimizing the thermal properties of clutch facings, 634
Slip
A constitutive law for the mechanical behavior of Zr 702α, 43
Soft tooling
Studies of rapid soft tooling with conformal cooling channels for plastic injection moulding, 508
Sol–gel reaction
Ceramic components for foundry industry, 628
Solidification
Twin-strand technology and microstructure analysis for the electromagnetic near net-shape casting of aluminum alloy, 526

Spider forging
Improvement of forging process of a 3D complex part with respect to damage occurrence, 307
Springback
Computer aided die design of straight flanging using approximate numerical analysis, 532
Stainless steel
A force model of turning stainless steel with worn tools having nose radius, 112
Starvation
The effect of tallow concentration on the cold rolling of steel strips, 65
State of stress
An analysis of the shearing stresses distribution on the cross-section of the twisted round bars, 224
316L Stainless steel
Characterization of laser direct deposited metallic parts, 582
Steel cup
Effect of anisotropy and prebulging on hydromechanical deep drawing of mild steel cups, 544
Step length verification
Machine codes modification algorithm for five-axis machining, 452
Stepped heat treatment
The improvement of constituent dissolution and mechanical properties of 7055 aluminum alloy by stepped heat treatments, 190
Stir casting
Microstructure and interface characteristics of B_4C, SiC and Al_2O_3 reinforced Al matrix composites: a comparative study, 738
Strain measurement
Theoretical and experimental study on the hydroforming of bifurcation tube, 367
Strain path
The effect of sequential tensile and cyclic torsion straining on work hardening of steel and brass, 282
Superficial and structural aspects of the cyclic strain softening in 6063 aluminum alloy bars, 362
Strain path change
A theoretical study on forming limit diagrams prediction, 714
Strain-hardening exponent
Modelling of process parameters on the working of P/M copper preforms, 767
Strength coefficient
Modelling of process parameters on the working of P/M copper preforms, 767
Stress pins
Design and finite element analysis of innovative tooling elements (stress pins) to prolong die life and improve dimensional tolerances in precision forming processes, 773
Superplastic deformation
Modeling of microstructure and constitutive relation during superplastic deformation by fuzzy-neural network, 197
Surface glazing
Augmentation of the mechanical and chemical resistance characteristics of an Al_2O_3-based refractory by means of high power diode laser surface treatment, 461
Surface integrity
Influence of steel type on electrical discharge machined surface integrity, 163
Surface modification
Preparation of a UV-attenuating agent using a mechanochemical reaction, 131
Surface roughness
The effects of surface roughness on the strength of adhesively bonded cylindrical components, 82
Electropolishing of cylindrical workpiece of tool materials using disc-form electrodes, 203
Relationship between EDM parameters and surface crack formation, 676

Tee branch pipe
Experimental investigation of bulge forming of plastic branch pipe, 551
Temperature effects
Temperature and weld-line effects on mechanical properties of CPVC, 247
Tensile properties
Tensile properties and fracture locations of friction-stir-welded joints of 2017-T351 aluminum alloy, 692
Texture
A constitutive law for the mechanical behavior of Zr 702α, 43
Theoretical failure criteria
A comparative evaluation of the theoretical failure criteria for workability in cold forging, 29
Thermal properties
Optimizing the thermal properties of clutch facings, 634
Thermal spoke
Guide roll simulation in FE analysis of ring rolling, 213
Thermodynamic characteristics and data
Investigation of the chlorination mechanism of metal oxides by chlorine, 145
Thick tube
Prediction and design of edge shape of initial strip for thick tube roll forming using finite element method, 479
Titanium alloy
XRD and XPS studies on surface MMC layer of SiC reinforced Ti–6Al–4V alloy, 725
Tool steels
Laser micro-drilling of tool steel using Nd:YAG lasers, 517
Torsion shearing stress distribution
An analysis of the shearing stresses distribution on the cross-section of the twisted round bars, 224
Tube
Tubular hydroforming of automotive side members with extruded aluminium profiles, 93
Tube hydroforming
Theoretical and experimental study on the hydroforming of bifurcation tube, 367
Turning
A force model of turning stainless steel with worn tools having nose radius, 112
Turning operation
Adjustment approach for fuzzy logic model based selection of non-overlapping machining data in the turning operation, 152
TV glass
Innovative manufacturing technique for glass matrix composites: extrusion of recycled TV set screen glass reinforced with Al_2O_3 platelets, 471
Twinning
A constitutive law for the mechanical behavior of Zr 702α, 43
Twin-strand
Twin-strand technology and microstructure analysis for the electromagnetic near net-shape casting of aluminum alloy, 526

Ultra-low carbon steel
Effect of competing hardening and softening mechanisms on the flow stress curve modeling of ultra-low carbon steel at high temperatures, 415
Ultraviolet attenuation
Preparation of a UV-attenuating agent using a mechanochemical reaction, 131
Upper bound element technique
An upper bound elemental technique approach to the process design of axisymmetric forging by forward and backward simulation, 619

Upsetting
Phenomenon of strain hardening behaviour of sintered aluminium preforms during cold axial forming, 347

Vacuum sealed casting process
Rapid fabrication of aluminum shoe mold using vacuum sealed casting process, 326
Vibration
Computer simulation and characteristic analysis of electrode fluctuation in wire electric discharge machining, 576

WC–Ni
An in situ WC–Ni composite fabricated by the SHS method, 422
Wear
Augmentation of the mechanical and chemical resistance characteristics of an Al_2O_3-based refractory by means of high power diode laser surface treatment, 461
Weld line
Temperature and weld-line effects on mechanical properties of CPVC, 247
Weld-bonded joints
Finite element modeling of weld-bonded joints, 587
Welding
Joining with friction welding of plastically deformed steel, 239
Welding parameter
Tensile properties and fracture locations of friction-stir-welded joints of 2017-T351 aluminum alloy, 692
Welds
Microstructural refinement through inoculation of type 7020 Al–Zn–Mg alloy welds and its effect on hot cracking and tensile properties, 174
Wetting
Microstructure and interface characteristics of B_4C, SiC and Al_2O_3 reinforced Al matrix composites: a comparative study, 738
White layer
Relationship between EDM parameters and surface crack formation, 676
Wire electric discharge machining
Computer simulation and characteristic analysis of electrode fluctuation in wire electric discharge machining, 576
Wire-EDM
Data mining applied to wire-EDM process, 182
Work hardening
The effect of sequential tensile and cyclic torsion straining on work hardening of steel and brass, 282
Phenomenon of strain hardening behaviour of sintered aluminium preforms during cold axial forming, 347
Superficial and structural aspects of the cyclic strain softening in 6063 aluminum alloy bars, 362
Workability
A comparative evaluation of the theoretical failure criteria for workability in cold forging, 29
Fracture analysis of tube drawing with a mandrel, 755

XPS
XRD and XPS studies on surface MMC layer of SiC reinforced Ti–6Al–4V alloy, 725
XRD
XRD and XPS studies on surface MMC layer of SiC reinforced Ti–6Al–4V alloy, 725

Yield function
A theoretical study on forming limit diagrams prediction, 714

Zener–Hollomon
A general model describing flow stress of copper alloys in different deformation conditions, 684